




Independent Field Validation: SuperLINK vs. Global Standards

Efficacy & Yield Analysis in Rice Production

Trial Period	Location	Target Crop	Administering Body
Nov 2012 - Feb 2013	Daule, Guayas, Ecuador	Transplanted Rice (Variety S-09)	Crystal Chemical del Ecuador (DUPOCSA)

SuperLINK Outperforms the Global Market Leaders

In a rigorous, independent trial conducted by Crystal Chemical del Ecuador, the challenger bio-stimulant SuperLINK was tested against the industry's most recognized global brands (BASF, KeyPlex, Atonik). Across all dosage levels, SuperLINK delivered the highest gross yield and the lowest percentage of percentage of stained grains.



10.4 Tn/Ha

Maximum Yield
(Achieved at 2.0 L/Ha dose)



4.3% Stained Grains


Defect Reduction
(Lowest defect rate in the trial)



Commercial Verdict

Recommended for immediate integration into standard nutritional management protocols.

Trial Methodology: A Level Playing Field



Trial Variables

Dosage Tiers: 1.0 L/Ha, 1.5 L/Ha, and 2.0 L/Ha.

Application Timing: Foliar coverage applied identically across all plots at 20, 40, and 60 days after sowing.

Baseline Parameters

Plot Size: 15 identical parcels of 100 m² each (Hacienda Brisas, Plan América).

Base Fertilization: Applied uniformly exactly as standard producer practice (100 Kg MOP, 50 Kg DAP, 400 Kg Urea).

Note: Harvest weights are gross field values. Commercial analysis requires moisture and impurity adjustments.

The Contenders: Challenging the Global Standard

Brand	Global Prestige / Pedigree	Product Type
SuperLINK	Challenger Brand (Taiwan)	Bio-stimulant
BASFOLIAR ALGAE	The World's Leading Chemical Company (BASF)	Foliar Fertilizer / Algae
KEYPLEX 350 DP	World-Famous US-Headquartered Brand	Bio-stimulant
ATONIK	Renowned Global Biostimulator	Unique Plant Biostimulator

To prove efficacy, SuperLINK bypassed regional competitors to test directly against the most trusted and heavily resourced formulations in global agriculture.

Agronomic Success Requires Both Yield and Quality

Spike & Spikelet Length (cm)

Indicators of structural growth capacity.

Total Grains per Spike


The primary driver of absolute volume.

% Stained Grains (Manchados)

Quality defect reducing commercial value.


% Empty Grains (Vanos)

Wasted biological energy; high yield is irrelevant if husks are empty.



Main Insight: The trial measures ultimate commercial viability: maximizing Total Yield (Tn/Ha) while actively suppressing defect ratios.


1.0 L/Ha Dosage: SuperLINK Takes the Early Lead




At the baseline dosage, SuperLINK produces the highest yield while maintaining superior grain integrity. Atonik drives physical length but fails to fill the grains.

1.5 L/Ha Dosage: Competitors Scale Yield, but Quality Drops

Gross Yield (Tn/Ha)





Grain Health (Defect %)




KeyPlex matches SuperLINK's grain quality at this dosage, but SuperLINK retains the absolute yield advantage. BASFoliar increases its yield to 9.0 Tn/Ha, but grain staining spikes to over 10%.

2.0 L/Ha Dosage: The Definitive Commercial Victory



At maximum dosage, SuperLINK reaches 165.8 grains per spike and peaks at 10.4 Tn/Ha. It delivers maximum biological output without sacrificing grain integrity, definitively beating the global standards.


The Activation Curve: Unlocking Biological Potential



Synthesis Insight:


SuperLINK demonstrates a superior dose-response efficiency. While legacy brands require maximum application rates to achieve acceptable yields, SuperLINK delivers premium results at baseline and scales flawlessly at higher concentrations.

The Ultimate Differentiator: Yield vs. Grain Integrity



Synthesis Insight: It is scientifically easy to force plant growth at the expense of grain health. SuperLINK is the only formulation tested that simultaneously maximizes structural output and physiological quality.

Contextualizing LINK SOIL: Foundation vs. Foliar



The Data Reality

In this trial, LINK SOIL consistently produced the lowest foliar yields (ranging from 6.7 to 9.1 Tn/Ha).

The Agronomic Context

LINK SOIL is strictly a Soil Improver, not a foliar fertilizer. Applying it in a foliar efficacy trial against direct bio-stimulants fundamentally misrepresents its mechanical purpose.

The Chain Reaction System

The GPL-37 Chain Reaction Organic Fertilizers are a family of sister products. LINK SOIL repairs the foundation; SuperLINK (along with LINK and CR-37) drives foliar growth. They share the same core technology but target different biological phases.

Final Verdict: The Scientific Inevitability of SuperLINK

- **Empirical Superiority:** In independent trials by DUPOCSA Ecuador, **SuperLINK** definitively out-yielded **BASF**, **KeyPlex**, and **Atonik** at every tested dosage tier.
- **Optimal Application:** 2.0 L/Ha delivers maximum commercial return (**10.4 Tn/Ha** with minimal **4.3%** grain staining).
- **The Commercial Reality:** Agricultural operators seeking to maximize high-grade, market-ready rice tonnage possess indisputable evidence to transition to the SuperLINK nutritional protocol.



Play to Win. Partner with Nature.

The future of global agriculture relies on the intersection of biological science and environmental stewardship. **Growing-Up INTL Corp** provides the definitive, zero-compromise solution for sustainable crop management.

Contact & Partnership Hub

Growing-Up International Corp.
69, Minchuan Rd, Tsao Tuen, Nantou, Taiwan 54262
Tel: +886-49-2337927
Email: growing8@growing8.com
Web: www.growing8.com

